


# Implications of Breakout for Interplanetary Observations

S. K. Antiochos & B. J. Lynch  
(NRL & U Michigan)

See Posters by Lynch and by Linker


## Unique characteristics of breakout model:

- Multipolarity of large-scale coronal field
  - But not excluded by other models – flux cancellation and tether cutting
- Reconnection between field overlying filament channel and neighboring systems (breakout or external reconnection)
  - Again not excluded by other models
  - Timing of reconnection vs eruption will be difficult to detect in IP
- Sheared arcade structure for filament channel field
  - Also feature in tether cutting model
  - Will need simulations to distinguish between models




# Magnetic Structure Predicted by Breakout

- Axisymmetric simulation by MacNeice et al
- No artificial symmetry about equator




- Opposite polarity sheath around plasmoid
- Magnetic islands form between sheath and plasmoid
- May obtain non-flux rope structure by 1 AU
- Need 3D simulations

# Magnetic Structure Predicted by Breakout



Field and plasma density, Lynch et al

Breakout may yield “complex”  
plasmoid structure (Linker poster)





Magnetic structure along equatorial radius

# Plasma Structure Predicted by Breakout

Sheared Arcade (breakout, tether-cutting) vs. Flux Rope Models

Frame 001 | 8 Aug 2003 | Field-lines time = 1.5333639E+03






From Lin et al

- Flux rope forms as a result of flare reconnection
- Hot in middle

- Flux rope forms *before* onset of flare reconnection
- Cool in middle

# Plasma Structure Predicted by Breakout



- Temperature decreases outward from axis of plasmoid
- Appears to agree with ionization state results from Lynch et al

# CONCLUSIONS

- Breakout model does produce complex magnetic structure in the eruption
  - May be able to obtain non-flux rope ICMEs, (need 3D)
- Breakout model should produce flux ropes with maximum temperature on axis
  - Clearly different than flux cancellation models
- Will need detailed Sun – 1 AU 3D simulations to test models decisively